

APPENDIX 12A

Alberta Boreal Species Considered Relatively Sensitive to Sulphur Dioxide

Table of Contents

APPENDIX 12A ALBERTA BOREAL SPECIES CONSIDERED RELATIVELY SENSITIVE TO SULPHUR DIOXIDE

List of Tables

Table 12A-1	Alberta Boreal Species Considered Relatively Sensitive to Sulphur Dioxide	12A-1
-------------	---	-------

Table 12A-1 Alberta Boreal Species Considered Relatively Sensitive to Sulphur Dioxide

Scientific Name	Common Name
<i>Abies balsamea</i>	balsam fir
<i>Alnus crispa</i>	green alder
<i>Alnus tenuifolia</i>	river alder
<i>Amelanchier alnifolia</i>	Saskatoon berry
<i>Aralia nudicaulis</i>	wild sarsaparilla
<i>Betula glandulosa</i> & <i>B. pumila</i>	bog and dwarf birch
<i>Betula papyrifera</i>	white birch
<i>Cornus stolonifera</i>	red-osier dogwood
<i>Epilobium angustifolium</i>	common fireweed
<i>Larix laricina</i>	tamarack
<i>Lathyrus ochroleucus</i>	cream-colored vetchling
<i>Lycopodium clavatum</i>	running club-moss
<i>Picea glauca</i>	white spruce
<i>Pinus banksiana</i>	jack pine
<i>Pinus contorta</i> x <i>banksiana</i>	lodgpole x jack pine hybrid
<i>Populus balsamifera</i>	balsam poplar
<i>Populus tremuloides</i>	aspen
<i>Prunus pensylvanica</i>	pin cherry
<i>Rosa acicularis</i>	prickly rose
<i>Rubus arcticus</i>	dwarf raspberry
<i>Rubus chamaemorus</i>	cloudberry
<i>Rubus idaeus</i>	wild red raspberry
<i>Rubus pubescens</i>	dewberry
<i>Shepherdia canadensis</i>	Canada buffaloberry
<i>Thalictrum venulosum</i>	northern starflower
<i>Vaccinium caespitosum</i>	dwarf bilberry
<i>Vaccinium myrtilloides</i>	common blueberry
<i>Vicia Americana</i>	wild vetch
SOURCE: Adapted from Legge et al. (1998)	